

A Check-list and Synonyms of the Norwegian Species of Ephemeroptera

ROLF DAHLBY

Dahlby, R. 1973. A Check-list and Synonyms of the Norwegian Species of Ephemeroptera. *Norsk ent. Tidsskr.* 20, 249–252.

A check-list of the species of Ephemeroptera found in Norway and some synonyms concerning Norwegian species are given. *Caenis rivulorum* Eaton is reported new to Norway.

Rolf Dahlby, Ronne, N-7130 Brekstad, Norway.

The treatise by Brekke (1938) of the Norwegian Ephemeroptera includes 38 species. Since then a further 8 species have been published as found in Norway (Brekke 1943, 1965, Grimeland 1966, Müller-Liebenau 1949, Brittain 1972). This makes a total of 46 species.

This check-list, which is based on the present knowledge concerning the taxonomy and synonymy within the order, brings the number of species down to 43 including *Caenis rivulorum* Eaton, which is here reported new to Norway. This species was collected by Curator Albert Lillehammer, Zoological Museum, Oslo during the investigations carried out by this institution in the summer of 1966 in Pasvik, South-Varanger (Finnmark county). The material of Ephemeroptera is being worked on by me, and further details will appear in a special publication.

Kimmins (1960) places *Baëtis gemellus* Eaton in the synonymy of *Baëtis rhodani* (Pictet), but according to Müller-Liebenau (1969) *B. gemellus* is a valid species having a rather southern distribution in Europe. On the basis of the known distribution of *B. gemellus* and the fact that the species can hardly be identified by means of previous descriptions or keys, I prefer to omit the species from the Norwegian list. The two Norwegian finds published by Brekke (1938) of this species are most likely *B. rhodani*. *B. gemellus* is thoroughly described and figured by Müller-Liebenau (1969). In the present check-list the families and genera are arranged according to

Edmunds (1962), and the species are arranged alphabetically within the genera. A question mark in front of a synonym means that the synonymy is probable, but needs confirmation.

FAM. SIPHONURIDAE Klapalek, 1909

Gen. *AMELETUS* Eaton, 1885

1. *inopinatus* Eaton, 1887

Syn.: *Ameletus alpinus* Bengtsson, 1913

Gen. *PARAMELETUS* Bengtsson, 1908

2. *chelifer* Bengtsson, 1908

Syn.: *Potameis elegans* Bengtsson, 1909

Sparrea norvegica Esben-Petersen,
1909 pro parte

Palmenia fennica Aro, 1910

3. *minor* (Bengtsson), 1909 (sub nom. *Potameis minor*)

Syn.: *Sparrea norvegica* Esben-Petersen,
1909 pro parte

Gen. *SIPHONURUS* Eaton, 1868

4. *aestivalis* (Eaton), 1903 (sub nom. *Siphlonurus aestivalis*)

Syn.: *Siphlonurus spinosus* Bengtsson, 1909

5. *lacustris* Eaton, 1870

Syn.: *Siphlonurus zetterstedti* (Bengtsson), 1909 (sub nom. *Siphlonurus zetterstedti*)

6. *linnaeanus* (Eaton), 1871 (sub nom. *Siphlonurus linnaeanus*)

- Syn.: *Siphlurella thomsoni* Bengtsson, 1909
 ? *Siphlurella oblita* Bengtsson, 1909

FAM. BAËTIDAE KLAPALEK, 1909

Gen. *BAËTIS* Leach, 1815

7. *fuscatus* (Linnaeus), 1761 (sub nom. *Ephemera fuscata*)
 Syn.: *Baëtis bioculatus* auct. nec *Ephemera bioculata* Linnaeus, 1758
8. *lapponicus* (Bengtsson), 1912 (sub nom. *Acentrella lapponica*)
9. *macani* Kimmins, 1957
10. *muticus* (Linnaeus), 1758 (sub nom. *Ephemera mutica*)
 Syn.: *Baëtis pumilus* (Burmeister), 1839 (sub nom. *Cloe pumila*)
11. *niger* (Linnaeus), 1761 (sub nom. *Ephemera nigra*)
 Syn.: *Baëtis incurvus* Bengtsson, 1912
12. *rhodani* (Pictet), 1843–45 (sub nom. *Cloe rhodani*)
 Syn.: *Baëtis wallengreni* Bengtsson, 1912
Baëtis pusillus Bengtsson, 1912
13. *scambus* Eaton, 1870
14. *subalpinus* Bengtsson, 1917
 Syn.: *Baëtis saliens* Tiensuu, 1939
15. *vernus* Curtis, 1834
 Syn.: *Baëtis tenax* Eaton, 1870

Gen. *CENTROPTILUM* Eaton, 1869

16. *luteolum* (Müller), 1776 (sub nom. *Ephemera luteola*)

Gen. *CLOËON* Leach, 1815

17. *dipterum* (Linnaeus), 1761 (sub nom. *Ephemera diptera*)
 Syn.: *Cloëon inscriptum* Bengtsson, 1914
18. *simile* Eaton, 1870
 Syn.: *Cloëon praetextum* Bengtsson, 1914

Gen. *PROCLOËON* Bengtsson, 1915

19. *bifidum* (Bengtsson), 1912 (sub nom. *Cloëon bifidum*)

Syn.: ? *Procloëon pseudorufulum* Kimmins, 1957 (According to Kimmins (1957) *Cloëon rufulum* Eaton, 1885 nec *Cloëon rufulum* (Müller), 1776). Described under the name *Cloëon rufulum* (Müller) by Esben-Petersen (1910)

FAM. HEPTAGENIIDAE TRAVER, 1935

- Gen. *HEPTAGENIA* Walsh, 1863
 20. *dalecarlica* Bengtsson, 1912
 21. *fuscogrisea* (Retzius), 1783 (sub nom. *Ephemera fuscogrisea*)
 Syn.: *Ecdyurus volitans* (Eaton), 1870 (sub nom. *Heptagenia volitans*) *Ecdyurus convergens* Aro, 1910
 22. *joernensis* (Bengtsson), 1909 (sub nom. *Ecdyurus joernensis*)
 Syn.: *Ecdyurus flavomaculatus* Aro, 1910
 23. *sulphurea* (Müller), 1776 (sub nom. *Ephemera sulphurea*)
 Gen. *ARTHROPLEA* Bengtsson, 1908
 24. *congener* Bengtsson, 1908
 Syn.: *Remipalpus elegans* Bengtsson, 1908
Cinygma mirabilis Aro, 1910
Haplogenia southi Blair, 1929
Arthroplea frankenbergeri Balthasar 1937

FAM. AMETROPODIDAE (AMETROPIDAE)
BENGSSON, 1913

- Gen. *METRETOPUS* Eaton, 1901
 25. *alter* Bengtsson, 1930
 26. *borealis* (Eaton), 1871 (sub nom. *Heptagenia borealis*)
 Syn.: *Metretopus norvegicus* Eaton, 1901

FAM. LEPTOPHLEBIIDAE Klapalek, 1909

- Gen. *LEPTOPHLEBIA* Westwood, 1840
 27. *marginata* (Linnaeus), 1767 (sub nom. *Ephemera marginata*)
 28. *vespertina* (Linnaeus), 1758 (sub nom. *Ephemera vespertina*)
 Syn.: *Leptophlebia meyeri* Eaton, 1884
Ephyurus albatarsis Bengtsson, 1909

- Gen. *PARALEPTOPHLEBIA* Lestage, 1917
29. *cincta* (Retzius), 1783 (sub nom. *Ephemerella cincta*)
 - Syn.: ? *Leptophlebia placita* Bengtsson, 1917
 30. *strandii* (Eaton), 1901 (sub nom. *Leptophlebia strandii*)
 31. *submarginata* (Stephens), 1835 (sub nom. *Ephemerella submarginata*)
 32. *werneri* Ulmer, 1919
Syn.: *Paraleptophlebia tumida* Bengtsson, 1930
 40. *macrura* Stephens, 1835
 41. *moesta* Bengtsson, 1917
Described under the name *Caenis halterata* (Fabricius) by Esten-Petersen (1910)
 42. *nocturna* Bengtsson, 1917
Syn.: ? *Caenis tumida* Bengtsson, 1912 (vide Saaristo 1966)
Caenis undosa Tiensuu, 1939
 43. *rivulorum* Eaton, 1884
Syn.: *Caenis dimidiata* var. *rivulorum* Eaton, 1884
Caenis nivea Bengtsson, 1917

FAM. EPHEMERELLIDAE KЛАPALEK, 1909

- Gen. *EPHEMERELLA* Walsh, 1862
33. *aurivillii* (Bengtsson), 1908 (sub nom. *Chitonophora aurivillii*)
 - Syn.: *Ephemerella aronii* Eaton, 1908 pro parte
 34. *ignita* (Poda), 1761 (sub nom. *Ephemerella ignita*)
 - Syn.: *Ephemerella lactata* Bengtsson, 1909
Ephemerella torrentium Bengtsson, 1917
 35. *mucronata* (Bengtsson), 1909 (sub nom. *Chitonophora mucronata*)
 - Syn.: *Ephemerella aronii* Eaton, 1908 pro parte

GENERIC SYNONYMS

- Parameletus* Bengtsson, 1908
Syn.: *Potameis* Bengtsson, 1909
Sparrea Esben-Petersen, 1909
Palmenia Aro, 1910
Siphlonurus Eaton, 1868
Syn.: *Siphlurella* Bengtsson, 1909
Baëtis Leach, 1815
Syn.: *Acentrella* Bengtsson, 1912
Procloeon Bengtsson, 1915
Syn.: *Pseudocloeon* Bengtsson, 1914 nec *Pseudocloeon* Klapalek, 1905
Arthroplea Bengtsson, 1908
Syn.: *Remipalpus* Bengtsson, 1908
Haplogenia Blair, 1929
Leptophlebia Westwood, 1840
Syn.: *Ephyurus* Bengtsson, 1909
Paraleptophlebia Lestage, 1917
Syn.: *Leptophlebia* Bengtsson, 1917 nec *Leptophlebia* Westwood, 1840
Ephemerella sensu strictu
Syn.: *Chitonophora* Bengtsson, 1908
Brachycercus Curtis, 1834
Syn.: *Eurycaenis* Bengtsson, 1917

FAM. EPHEMERIDAE KЛАPALEK, 1909

- Gen. *EPHEMERA* Linnaeus, 1758
36. *danica* Müller, 1764
 37. *vulgata* Linnaeus, 1758

FAM. CAENIDAE KЛАPALEK, 1909

- Gen. *BRACHYCERCUS* Curtis, 1834
38. *harrisella* Curtis, 1834
- Gen. *CAENIS* Stephens, 1835
39. *horaria* (Linnaeus), 1758 (sub nom. *Ephemerella horaria*)
 - Syn.: *Caenis dimidiata* Stephens, 1835
Caenis dimidiata var. *fennica* Aro, 1928

ACKNOWLEDGEMENT

I am indebted to Curator John O. Solem, Royal Norwegian Society of Sciences and Letters, Trondheim, for reading the manuscript.

REFERENCES

- Brekke, R. 1938. The Norwegian Mayflies (Ephemeroptera). *Norsk ent. Tidsskr.* 5, 55–73.
- Brekke, R. 1943. Trichoptera og Ephemeroptera. Nye arter for Norge. *Norsk ent. Tidsskr.* 6, 232–233.
- Brekke, R. 1965. Bidrag til kunnskapen om Norges døgn-, sten- og vårflyer (Ephemeroptera, Plecoptera, Trichoptera). *Norsk ent. Tidsskr.* 13, 11–15.
- Brittain, J. E. 1972. *Brachycercus harrisella* Curtis (Ephemeroptera) New to Norway. *Norsk ent. Tidsskr.* 19, 171.
- Edmunds, G. F. Jr. 1962. The type localities of the Ephemeroptera of North America North of Mexico. *Univ. Utah Biol. Ser.* 12, VIII + 39 pp.
- Esbens-Petersen, P. 1910. Guldsmede, Døgnflyer, Slørvinger og Copeognather (Pseudoneuropteran). *Danm. Fauna* 8, 163 pp.
- Grimeland, G. 1966. Døgnflyer (Ephemeroptera) i Agdenes, Sør-Trøndelag. *Norsk ent. Tidsskr.* 13, 136–143.
- Kimmins, D. E. 1957. Notes on *Procloeon Oseudorufulum* sp. n. (= *Procloeon rufulum* (Eaton)) and on *Cloeon simile* Eaton (Ephemeroptera). *Ent. Gaz.* 8, 29–35.
- Kimmins, D. E. 1960. The Ephemeroptera types of species described by A. E. Eaton, R. McLachlan and F. Walker. *Bull. Brit. Mus. (Nat. Hist.) Ent.* 9, x269–318.
- Müller-Liebenau, I. 1969. Revision der europäischen Arten der Gattung *Baëtis* Leach, 1815 (Insecta, Ephemeroptera). *Gewässer und Abwässer* 48/49, 1–214.
- Saaristo, M. 1966. Revision of the Finnish species of the genus *Caenis* Steph. *Ann. Ent. Fenn.* 32, 68–87.

Received 8 March 1973