

Copyright © 2000 by Zhongshan (Sun Yat - sen) University Press
135 Xingang Road W., Guangzhou 510275, China.

All rights reserved. No part of this publication may be reproduced,
stored in a retrieval system, or transmitted in any form or by any
means, electronic, mechanical, photocopying, recording or otherwise,
without prior permission of the copyright holders.

Cataloguing in Publication Data

List of Chinese Insects vol. I/Hua Li - zhong compiled.
- Guangzhou China, [Zhongshan University Press], 2000
ISBN 7 - 306 - 01701 - 2

- I. Title
- II. Hua Li - zhong [Li - zhong Hua]
- III. Chinese - Insect List
- IV. Q968. 22

Editing and Styling: Zhang Ya - la

Cover: Fang Chu - juan

First Edition in Aug. 2000, Printed by Guangzhou
- Guangwei Printers in Guangzhou, 510315, China.

Price: US \$ 170

Zhongshan (Sun Yat-sen)
University Press

- Sympetrum eroticum eroticum* (Selys, 1883) [N. CHINA, C. CHINA, Henan, Hubei, Jiangxi, Fujian, Hunan, Guangxi, Guizhou, Sichuan, Yunnan; JAPAN, KOREA]
- Sympetrum fatigans* Needham, 1930 [Hebei, Guangdong]
- Sympetrum flaveola* (Linnaeus, 1758) (*Libellula*) [NE CHINA, Henan; JAPAN, SIBERIA to EUROPE, MONGOLIA]
- Sympetrum fonscolombei* (Selys, 1840) (*Libellula*) [CHINA; JAPAN, C. ASIA, INDIA, EUROPE, MONGOLIA, AFRICA]
- Sympetrum frequens* (Selys, 1883) [NE CHINA, Hebei, Henan, Jiangsu, Fujian, Sichuan, Yunnan; JAPAN, KOREA, MONGOLIA]
- Sympetrum gracile* Oguma, 1915 [Sichuan; JAPAN]
- Sympetrum haematoneura* Fraser, 1934 [Xizang; INDIA, KASHMIR]
- Sympetrum hypomelas* (Selys, 1884) (*Diplax*) [Hebei, Henan, Guangdong, Guangxi, Sichuan, Xizang; INDIA, BANGLADESH]
- Sympetrum ignotum* Needham, 1930 [NE CHINA, Jiangxi, Zhejiang]
- Sympetrum imitans* Selys, 1872 [Heilongjiang, Liaoning, Hebei, Henan, Guangdong, Sichuan]
- Sympetrum infuscatum* (Selys, 1883) [Heilongjiang, Hubei, Henan, Anhui, Jiangxi, Zhejiang, Fujian, Hunan, Sichuan; JAPAN, KOREA]
- Sympetrum kunckeli* (Selys, 1884) (*Diplax*) Syn. *Sympetrum flavicauda* Navas, 1932 [NE CHINA, N. CHINA, C. CHINA, Shandong, Shanxi, Henan, Beijing, Anhui, Jiangsu, Jiangxi, Hubei, Fujian, Hunan, Sichuan; JAPAN, KOREA]
- Sympetrum orientale* (Selys, 1883) (*Diplax*) [Jiangsu, Zhejiang; INDIA]
- Sympetrum parvulum* (Barteneff, 1912) [Heilongjiang, Henan, Sichuan; JAPAN, KOREA]
- Sympetrum pedemontanum* Allioni, 1776 [Heilongjiang, Liaoning, Inner Mongolia, Xinjiang; MONGOLIA]
- Sympetrum risi* Barteneff, 1914 [NE CHINA, Hunan; JAPAN, KOREA]
- Sympetrum ruptum* (Needham, 1930) [Shanxi, Zhejiang, Fujian, Sichuan]
- Sympetrum speciosum taiwanum* Asahina, 1951 [Taiwan]
- Sympetrum striolatum* Charpentier, 1840 [N. CHINA, Guangdong]
- Sympetrum striolatum imitoides* Barteneff, 1919 [CHINA; JAPAN, KOREA, SIBERIA]
- Sympetrum transmarina propinqua* (Liefstinck, 1942) (*Tamea*) [Taiwan; MICRONESIA, AUSTRALIA, JAPAN, NEW GUINEA, AUSTRALIA]
- Sympetrum uniforme* Selys, 1883 [Shanxi, Shandong, Hebei, Hubei, Zhejiang; JAPAN, KOREA]
- Sympetrum virginia* (Rambur, 1842) [Mainland CHINA, Taiwan; JAPAN, SE ASIA]
- Sympetrum vulgatum* (Linnaeus, 1758) (*Libellula*) [N. CHINA; AMUR, SACHALIN, MONGOLIA, EUROPE]
- Tetrathemis platyptera* Selys, 1878 [Yunnan; INDONESIA, MALAYSIA, BURMA, INDIA]
- Tholymis tillarga* (Fabricius, 1798) (*Libellula*) [Guangdong, Hunan, Guangxi, Yunnan, Xizang to Taiwan; JAPAN, PHILIPPINES, INDONESIA, MALAYSIA, TROPICAL]
- Tamea chinensis* De Geer, 1773 Syn. *Libellula virginia* Rambur, 1842 [Hebei, Anhui, Jiangsu, Jiangxi, Zhejiang, Fujian, Taiwan, Guangdong, Hongkong, Hainan, Hunan, Guangxi, Sichuan, Yunnan; JAPAN, MALAYSIA, INDIA]
- Trithemis aurora* (Burmeister, 1839) (*Libellula*) [Henan, Hubei, Fujian, Taiwan, Guangdong, Hongkong, Hainan, Hubei, Hunan, Guangxi, Guizhou, Sichuan, Yunnan; JAPAN, INDONESIA, MALAYSIA, CALEMANDAN, SRI LANKA, BURMA, INDIA]
- Trithemis festiva* (Rambur, 1842) (*Libellula*) [Zhejiang, Taiwan, Guangdong, Hainan, Guangxi, Yunnan, Xizang; MALAYSIA, INDONESIA, SRI LANKA, BURMA, INDIA]
- Trithemis pallidinervis* (Kirby, 1889) (*Sympetrum*) [Xinjiang, Taiwan, Xizang; INDIA, SRI LANKA, BURMA]
- Trithemis trivialis* Rambur, 1842 [Hainan]
- Urothemis signata* (Rambur, 1839) (*Libellula*) [Fujian, Hainan, Guangxi, Xizang to Guangdong; SRI LANKA, MALAYSIA, BURMA, INDIA]
- Zygonyx iris* Selys, 1869 [Taiwan, Hongkong, Hainan; CALEMANDAN, INDIA, BANGLADESH]
- Zygonyx iris insignis* (Kirby, 1890) [Hainan]
- Zygonyx iris mildgredeae* Fraser, 1926 [Yunnan; BURMA]
- Zygonyx iris sinensis* Zhu, 1986 [Guangdong]
- Zygonyx takasago* Asahina, 1966 [Taiwan]
- Zyxomma petiolatum petiolatum* Rambur, 1842 [Fujian, Taiwan, Guangdong; JAPAN]

VI. ORDER EPHEMEROPTERA (EPHEMERIDA, PLECTOPTERA, AGNATHA)

(I) SUPERFAMILY EPHEMEROIDEA

Family Palingeniidae

- Anagenesia paradoxa* (Buldovskii, 1935) [Heilongjiang; AMUR]
- Anagenesia yangi* Hsu, 1936 [Jiangxi]

Family Ephemeridae

- Eatonigenia chaperi* Navas, 1935 Syn. *Eatonigenia chaperi* Ulmer, 1939; *Eatonigenia chaperi* McCafferty, 1973 [Hainan]
- Ephemera amurensis* Navas, 1913 [NE CHINA; AMUR, SIBERIA, KOREA, JAPAN]
- Ephemera axillaris* Navas, 1930 [Guizhou]
- Ephemera formosana* Ulmer, 1919 [Taiwan, Guangdong; AMUR, JAPAN]
- Ephemera japonica* McLachlan, 1875 [Taiwan; JAPAN, RUSSIA (SACHALIN, FAR EAST)]
- Ephemera kirinensis* Hsu, 1931 [Jilin, Hebei]
- Ephemera lineata* Eaton, 1870 [Beijing, Hubei, Jiangsu, Jiangxi, Guangdong, Hunan; JAPAN, KOREA, SIBERIA, EUROPE]
- Ephemera lota* Navas, 1934 [Jiangsu, Jiangxi]
- Ephemera media* Ulmer, 1936 [Hebei, Guangdong]
- Ephemera orientalis* McLachlan, 1875 [NE CHINA; JAPAN, KOREA, RUSSIA (FAR EAST), MONGOLIA]
- Ephemera pictipennis* Ulmer, 1924 [Jiangsu, Jiangxi, Zhejiang]
- Ephemera pictiventris* McLachlan, 1904 [Sichuan]
- Ephemera pieli* Navas, 1934 [Jiangsu]
- Ephemera pulcherrima* Eaton, 1892 [Beijing, Jiangxi, Fujian, Guangdong, Hainan, Hongkong; BURMA, INDIA]
- Ephemera purpurata* Ulmer, 1919 [Guizhou]
- Ephemera sachalinensis* Matsumura, 1931 [Heilongjiang; SACHALIN]
- Ephemera sauteri* Ulmer, 1912 [Taiwan, Guangdong, Hainan]
- Ephemera serica* Eaton, 1871 [Beijing, Jiangsu, Guangdong, Hongkong; VIETNAM]
- Ephemera shengmi* Hsu, 1937 [Jiangxi]
- Ephemera spilosa* Navas, 1937 [Jiangxi]
- Ephemera strigata* Eaton, 1882 [Heilongjiang, Guangdong; US-SURI, KOREA, JAPAN, MONGOLIA]
- Ephemera wuchowensis* Hsu, 1937 [Zhejiang, Guangxi]
- Ephemera yaoshani* Hsu, 1937 [Anhui, Zhejiang, Guangxi]

Family Polymitarciidae

- Chromarcys magnifica* Navas, 1932 [Yunnan]

Polymitarcys nigridorsum (Chernova, 1934) [Heilongjiang; AMUR]

Family Potamanthidae

Neopotamanthodes lanchi Hsu, 1937 [Zhejiang]

Neopotamanthodes nanchangi (Hsu, 1935) (*Potamanthodes*) [Jiangxi]

Neopotamanthodes youi Wu et You, 1986 [Shaanxi, Anhui, Hubei, Shanghai]

Potamanthellus chinensis Hsu, 1935 [Jilin, Jiangxi]

Potamanthodes formosanus (Eaton, 1892) (*Potamanthus*) [Anhui, Jiangxi, Zhejiang, Fujian, Taiwan, Guangdong, Yunnan; JAPAN, INDIA]

Potamanthodes fujianensis You, 1982 [Jiangxi, Fujian, Guangdong]

Potamanthodes houshanensis Wu, 1987 [Anhui]

Potamanthodes kwangsiensis Hsu, 1937 [Jiangxi, Guangxi]

Potamanthodes macrophthalmus You et Su, 1984 [Shaanxi, Zhejiang]

Potamanthodes sangangensis You et Su, 1984 [Jiangxi, Fujian]

Potamanthodes yunnanensis You, 1982 [Yunnan]

Potamanthus luteus (Linnaeus, 1764) (*Ephemer*) [Heilongjiang, Jilin; AMUR, PALAEARCTIC]

Rhoenanthopsis amabilis (Eaton, 1892) (*Potamanthellus*) [Guangdong; BURMA, VIETNAM]

Rhoenanthopsis magnificus Ulmer, 1920 [S. CHINA (San Chuen, Chenghu); VIETNAM]

Family Ephoronidae

Ephoron nanchangi (Hsu, 1936) (*Polymitarcys*) [Jiangxi]

Ephoron virgo (Olivier, 1791) (*Polymitarcys*) Syn. *Ephoron virgo* Williamson, 1941; *Ephoron virgo* Imanishi, 1941 [Jilin, Heilongjiang; AMUR, JAPAN, EUROPE, MOROCCO]

(II) SUPERFAMILY BAETOIDEA

Family Oligoneuriellidae (*Oligoneuriidae*)

Isonychia formosae Eaton, 1892 Syn. *Chironetes formosanus* Ulmer, 1912 [Taiwan]

Isonychia hainanensis She et You, 1988 [Hainan]

Isonychia japonica (Ulmer, 1919) (*Chironetes*) [Heilongjiang, Gansu, Guangdong, Sichuan; AMUR, KOREA, JAPAN]

Isonychia kiangsiensis Hsu, 1935 [Anhui, Jiangxi]

Oligoneuriella rhenana (Imhoff, 1852) (*Oligoneuria*) [CHINA; JAPAN, EUROPE]

Family Baetidae

Acentrella gnoma (Kluge, 1983) [Taiwan; JAPAN, RUSSIA (FAR EAST)]

Baetis chinensis Ulmer, 1936 [Hebei]

Baetis navasi Muller-Liebenau, [Fujian; EUROPE]

Baetis obtusiceps Chernova, 1952 [Heilongjiang; AMUR, US-SURI]

Baetis pekingensis Ulmer, 1936 [Beijing]

Baetis pseudofrequentus Muller-Liebenau, 1985 [Taiwan]

Baetis taiwanensis Muller-Liebenau, 1985 [Taiwan]

Baetis tatuensis Muller-Liebenau, 1985 [Taiwan]

Baetis thermicus Ueno, 1931 [Taiwan; JAPAN, KOREA, SACHALIN]

Baetis vaillanti Navas, 1931 [Shaanxi, Gansu]

Centropetella longisetosa Braasch et Soldan, 1980 [CHINA]

Cleon apicatum Navas, 1933 [Zhejiang]

Cleon bimaculatum Eaton, 1893 [S. CHINA; JAPAN, SRI LANKA, SUNDA, VIETNAM, BANGLADESH, AUSTRALIA, ORI-

ENTAL, HOLOARCTIC, FRANCE, ITALY, ETHIOPIA]

Cleon dipterum (Linnaeus, 1761) (*Ephemer*) [N. CHINA, Hebei; JAPAN, KOREA, PALARACTIC, EGYPT, ARMENIA]

Cleon marginale (Hagen, 1858) (*Cloe*) [Taiwan, Guangdong; JAPAN, PHILIPPINES, INDONESIA, SRI LANKA, THAILAND, VIETNAM, BANGLADESH]

Cleon pielinum Navas, 1933 [Shanghai]

Cleon sinense (Walker, 1853) (*Caenis*) [N. CHINA]

Cleon virens Klapalek, 1905 [Hebei, Jiangsu, Fuzhou, Guangdong; INDONESIA, AUSTRALIA]

Cleon viridulum Navas, 1931 [N. CHINA, Shanghai, Zhejiang, Guangdong; KOREA, INDONESIA, AUSTRALIA]

Neobaetiella macani Muller-Liebenau, 1985 [Taiwan]

Procleon tualis Watzl et McCafferty, 1985 [Taiwan]

Pseudocleon klapalini Klapalek, 1905 [Taiwan]

Pseudocleon latum Muller-Liebenau, 1985 [Taiwan]

Pseudocleon ultimum Muller-Liebenau, 1985 [Taiwan]

Family Caenidae (*Brachycercidae*)

Brachycerus magnus Chernova, 1952 [Heilongjiang; AMUR]

Caenis nigropunctata Klapalek, 1905 [Beijing; SUNDA, PHILIPPINES]

Ordella niliaria Chernova, 1952 [Heilongjiang; AMUR]

Family Leptophlebiidae

Choroterpes curviforceps Wu et You, 1989 [Jiangsu]

Choroterpes nanjingensis You et Su, 1980 [Nanjing]

Choroterpes trifurcata Ueno, 1928 [Heilongjiang, Taiwan; AMUR, KOREA, JAPAN]

Choroterpes yixingensis Wu et You, 1989 [Jiangsu]

Cryptopenella facialis Gilles, 1951 [Hongkong]

Habrophleboides gillesi Peters, 1963 [Fujian, Hongkong]

Isca purpureta Gilles, 1951 [Hongkong; BANGLADESH]

Leptophlebia duplex Navas, 1936 [Jiangxi]

Leptophlebia elongatula McLachlan, 1875 [CHINA]

Leptophlebia simplex Navas, 1936 [Jiangsu, Jiangxi]

Leptophlebia wui Ulmer, 1936 [Hebei]

Paraleptophlebia lunata Chernova, 1952 [Heilongjiang; AMUR, SIBERIA]

Thraulus semicasaneus (Gillies,) [Fujian, Hainan; PALAEARCTIC, ORIENTALIS, TROPICAL]

Family Ephemerellidae

Cincticostella dabieshanensis Yuo et Su, 1984 [Anhui, Fujian]

Ephemerella antuensis Su et You, 1989 [Heilongjiang, Jilin]

Ephemerella changbaishanensis Su et You, 1988 [Jilin]

Ephemerella denticula Allen, 1971 [CHINA; JAPAN, KOREA]

Ephemerella elongatula McLachlan, 1875 [N. CHINA; JAPAN]

Ephemerella fusongensis Su et You, 1988 [Jilin]

Ephemerella jinghongensis Xu, You et Hsu, 1980 [Yunnan]

Ephemerella lenoki Chernova, 1952 [Heilongjiang; AMUR, SACHALIN]

Ephemerella longicaudata Ueno, 1928 [NE CHINA, Inner Mongolia]

Ephemerella mucronata Chernova, 1952 [Heilongjiang; AMUR]

Ephemerella nigromaculata Xu et You, 1980 [NE CHINA, Inner Mongolia, Zhejiang]

Ephemerella ornata Chernova, 1957 [Yunnan]

Ephemerella siberica Chernova, 1952 [Heilongjiang; AMUR]

Ephemerella sven-hedini Ulmer, 1936 [Gansu]

Ephemerella tianmushanensis Xu et You, 1980 [Zhejiang]

Ephemerella triacantha Chernova, 1949 [Heilongjiang; AMUR]

Ephemerellina sinensis (Hsu, 1936) (*Ephemerella*) [Jiangxi]

Ephemerellina xiasimaensis You, 1987 [Xizang]

Teloganodes lugens Navas, 1933 [Zhejiang]

(III) SUPERFAMILY HEPTAGENIOIDEA

Family Ectyonuridae (*Heptageniidae*)

- Afronurus kouandengensis You, 1987 [Xizang]
Afronurus linzhiensis You, 1987 [Xizang]
Afronurus xiaximaensis You, 1987 [Xizang]
Afronurus xizangensis You, 1987 [Xizang]
Afronurus yadongensis You, 1987 [Xizang]
Afronurus yadongxiaximaensis You, 1987 [Xizang]
Anepeorus hummeli Ulmer, 1936 [Gansu, Sichuan]
Cinygma pellucidum Brauer, 1930 [Heilongjiang; AMUR]
Cinygma rubescent You, 1987 [Xizang]
Cinygma xiaximaensis You, 1987 [Xizang]
Cinygmina obliquistriata You et al., 1981 [Anhui, Jiangsu, Zhejiang]
Cinygmina rubromaculata You et al., 1981 [Anhui, Jiangsu]
Cinygmina yixingensis Wu et You, 1986 [Anhui, Jiangsu]
Cinygmina zachavatkini Chernova, 1952 [Heilongjiang; AMUR]
Cinygmula yadongensis You, 1987 [Xizang]
Ectyonurus davidi Navas, 1934 [Jiangxi]
Ectyonurus kerklotsi Hsu, 1933 [Hongkong]
Ectyonurus hyalinus (Ulmer, 1912) [Taiwan; JAPAN]
Ectyonurus hyaliniana Hua, New Name for *Ectyonurus hyalinus* Navas, 1936 (This species name has preoccupied by Ulmer, 1912) [Taiwan; JAPAN]
Ectyonurus pallens Navas, 1936 [Jiangxi]
Ectyonurus parvus Ulmer, 1912 [Taiwan]
Ectyonurus pichoni Navas, 1934 [Zhejiang]
Ectyonurus radialis Navas, 1936 [Jiangxi]
Ectyonurus yoshida Takahashi, 1924 (*Heptagenia*) [Heilongjiang, Taiwan; JAPAN, KOREA, RUSSIA (FAR EAST)]
Epeorus curvatulus Matsumura, 1931 [CHINA; JAPAN, KOREA]
Epeorus erratus Braasch, 1981 [Taiwan]
Epeorus minor (Hsu, 1936) (*Iron*) [Jiangxi]
Epeorus pingguoyuanensis You, 1987 [Xizang]
Epeorus psi Eaton, 1885 [Taiwan]
Epeorus sinensis (Ulmer, 1925) (*Iron*) [Guangdong]
Heptagenia chinensis Ulmer, 1919 [Beijing]
Heptagenia costata Navas, 1933 [Jiangxi]
Heptagenia davidica Navas, 1934 [Sichuan]
Heptagenia flavata Navas, 1922 [Guangdong]
Heptagenia kibunensis Imanishi, 1936 [NE CHINA; USSURI, KOREA, JAPAN]
Heptagenia limbata Navas, 1936 [Jiangxi]
Heptagenia ngi Hsu, 1936 [Hongkong]
Heptagenia soldatoyi Chernova, 1952 [Heilongjiang; AMUR]
Heptagenia werestschagini Chernova, 1952 [Heilongjiang; AMUR]
Iron dominans Navas, 1936 [Jiangxi]
Iron famulans Navas, 1936 [Jiangxi]
Paegniodes cupulatus Eaton, 1881 Syn. *Heptagenia cupulatus* Eaton, 1871 [N. CHINA, Zhejiang, Fujian, Guangdong, Hongkong, Xizang]
Paegniodes fukiensis Hsu, 1931 [Fujian]
Rhithrogena lepnevae Brauer, 1930 [Heilongjiang; AMUR]
Rhithrogena orientalis You, 1990 [Fujian]
Rhithrogena parva (Ulmer, 1920) [Taiwan; JAPAN]
Rhithrogena sangangensis You, 1990 [Fujian]
Rhithrogena unicolor Chernova, 1952 [Heilongjiang; AMUR, SACHALIN]
Rhithrogeniella sangangensis You et al., 1982 [Fujian]
Thalerosphyrus cingulatus Navas, 1933 [Zhejiang]

Thalerosphyrus melli Ulmer, 1925 [Guangdong]

Family Siphonuridae

- Siphuriscus chinensis Ulmer, 1919 [Guangdong]
Siphuriscus davidi Navas, 1932 [Sichuan]
Siphuriscus zetterstedti Bengtsson, 1909 [Heilongjiang; AMUR]

Family Ametropodidae

- Acanthametropus nikolskyi Chernova, 1952 [Heilongjiang; AMUR]

VII. ORDER BLATTARIA

(I) SUPERFAMILY POLYPHAGIOIDEA

Family Polyphagidae (*Corydiidae*)

- Corydia zonata Shiraki, 1907 [Guangdong, Guangxi]
Blepharodera hirta (Thunberg, 1810) (*Blatta*) [CHINA]
Eucorydia dasytoides (Walker, 1868) (*Euthyrrhapha*) [Zhejiang, Fujian, Taiwan, Yunnan; JAPAN, VIETNAM]
Eucorydia paucipilosa Woo et Feng, 1986 [Yunnan]
Eucorydia purpuralis (Kirby, 1903) (*Corydia*) [Fujian; JAPAN]
Eucorydia yunnanensis Woo et Feng, 1986 [Gansu, Ningxia, Guizhou, Sichuan, Yunnan, Xizang; INDONESIA, INDIA]
Eucorydia xizangensis Woo et Feng, 1988 [Xizang]
Eupolyphaga densiguttata Feng et Woo, 1988 [Yunnan]
Eupolyphaga fusca Chopard, 1929 [Yunnan]
Eupolyphaga hengduanus Feng et Woo, 1988 [Yunnan]
Eupolyphaga limbata (Kirby, 1903) (*Polyphaga*) [Gansu, N. CHINA, Guizhou, Yunnan, Sichuan, Xizang; VIETNAM, LAOS, CAMBODIA]
Eupolyphaga sinensis (Walker, 1868) (*Polyphaga*) [Liaoning, Inner Mongolia, Beijing, Shandong, Shanxi, Shaanxi, Gansu, Hubei, Jiangsu, Jiangxi, Zhejiang, Guangxi, Guizhou, Sichuan, Yunnan; Former USSR, MONGOLIA]
Eupolyphaga thibetana (Chopard, 1922) (*Polyphaga*) [Xizang]
Eupolyphaga yunnanensis (Chopard, 1922) (*Polyphaga*) [Gansu, Fujian, Guizhou, Sichuan, Yunnan, Xizang; INDONESIA, INDIA] Host: stored goods.
Heterogamia aegyptiaca (Linnaeus, 1758) (*Blatta*) [NE CHINA; KOREA, INDIA, AFRICA]
Heterogamia dohrmiana Saussure, 1893 [CHINA]
Polyphaga saussurei (Dohrn, 1888) (*Heterogamia*) [Hebei; KAZACHSTAN, AFGHANISTAN, IRAN, SCANDINAVIA]

Family Homoeogamiidae

- Homoeogamia sinensis Saussure, 1869 [N. CHINA]

Family Euthyrrhaphidae

- Holocamps debilia Walker, 1868 [Taiwan; PHILIPPINES, INDONESIA, SRI LANKA, NEW GUINEA]
Pseudoholocamps formosana Shiraki, [Taiwan]

Family Latindiidae

- Ctenoneura acuticerca Bey-Bienko, 1957 [Yunnan]
Ctenoneura misera Bey-Bienko, 1969 [Yunnan]
Ctenoneura simulans Bey-Bienko, 1969 [Yunnan]
Ctenoneura yunnanea Bey-Bienko, 1957 [Yunnan]

(II) SUPERFAMILY BLABEROIDEA

Family Blaberidae

- Glomerexis tibetana Bey-Bienko, 1938 [Fujian, Xizang, Yunnan]

Family Derocalymnidae