to expand the concept of *Scotolinx* to accommodate the new species than to create a new genus.

LITERATURE CITED

- Ashmead, W. H. 1904. Classification of the Chalcid Flies or the Superfamily Chalcidoidea, with Descriptions of New Species in the Carnegie Museum, Collected in South America by Herbert H. Smith. Mem. Carnegie Mus. 1 (4): 225-551.
- Gahan, A. B. and M. M. Fagan 1923. The Type Species of the Genera of Chalcidoidea or Chalcid-flies, U. S. Natl. Mus., Bul. 124, 173 pp.
- Girault, A. A. 1915. Australian Hymenoptera Chalcidoidea IV. Supplement. Mem. Queensland Mus. 3: 180-299.
- Girault, A. A. 1916. New Miscellaneous Chalcidold Hymenoptera with Notes on Described Species. Ann. Entomol. Soc. Amer., 9 (3): 291-308.
- Girault, A. A. 1917a. A metallic species of *Cirrospilopsis* from Maryland (Hymenoptera: Eulophidae). Psyche 24 (3): 100.
- Girault, A. A. 1917b. Descriptiones Hymenoptorum Chalcidoidicarum Variorum cum Observationibus. V. 16 pp. (privately printed).
- Ishii, T. 1953. A report on the studies of the parasitic wasps of injurious insects. Fac. Agr. Tokyo Univ. Agr. Tech. Bul. 1 (2): 1-10.
- Muesebeck, C. W. F. et al. 1951. Hymenoptera of America North of Mexico. Synoptic Catalog. U.S. Dept. Agr. Agr. Monog. 2, 1420 pp.
- Subba Rao, B. R. and S. Ramamani, 1966. Biology of Cirrospiloideus phyllocnistoides (Narayanan) and description of a new species, Scotolinx quadristriata (Hymenoptera: Eulophidae) as parasites of Phyllocnistis citrella Stainton. Indian J. Entomol. 27 (4): 408-413.

SCIENTIFIC NOTE

New Records of Mayflies (Ephemeroptera) from California and Mexico¹. — A collection of mayflies on loan from the California Academy of Sciences, San Francisco, includes new records of Ametropus ammophilus Allen & Edmundsd and of Choroterpes (Choroterpes) inornata Eaton.

Ametropus ammophilus was described from northwestern Washington, and is known from western Montana and western Oregon. A collection of nymphs from Upper Truckee River, 0.16 km. downstream from Highway 50 bridge (depth 0.7 meters), El Dorado Co., California 20-XI-69, W. Arthur Noble, constitute a new state record for California. Choroterpes inornata was described from northern Sonora, Mexico and Arizona, and specimens of the species have been reported also from southern Colorado and New Mexico. Nymphs of C. inornata collected in a stream at Rancho Cuevas Pintas, 9 miles west Loreto, Baja California Sur, Mexico, 18-V-69, S.C. Williams, represent a new record of the species from Baja California and is the only mayfly to be reported from Baja California Sur. — RICHARD K. ALLEN, Department of Biology, California State University, Los Angeles, 90032.

^{&#}x27;The research and writing of this note was supported by funds from National Science Foundation Grant BMS 75-17661.