PRIVATE LIBRARY OF WILLIAM L. PETERS

Reprinted from the Utah Academy of Sciences, Arts and Letters, Proceedings 31:64-66. 1954.

THE MAYFLIES OF UTAH

George F. Edmunds, Jr. 1 University of Utah

THE list of the mayflies (Ephemeroptera) of Utah presented below is a result of more than ten year's study by the writer. A monographic report of this study is being prepared but until this is available a list of the species can be of use. This list is presented with two main purposes in mind: (1) to present a list of the species of mayflies known to occur in Utah, of which more than half are previously unrecorded for the state; and (2) to make more useful the previous reports on the Utah mayfly fauna, especially that of Needham and Christenson (1927), by including a synonymy of names used in earlier reports when such records were based on misidentifications or when the names differ from those currently used. The arrangement of families and subfamilies is one devised by the author and Jay R. Traver, and should be credited to both rather than to the present author only.

```
Superfamily Heptagenioidea
     Family Siphlonuridae
         Siphlonurus occidentalis (Eaton)
          Genus et species incertus
          Parameletus columbiae McDunnough
         Ameletus velox Dodds
          Ameletus spp. — Two undescribed species present.
     Family Isonychiidae
      Isonychia campestris McDunnough (? = Chirotenetes sp. [sic!] of
               Needham and Christenson, 1927:12)
    Family Oligoneuriidae
         Lachlania powelli Edmunds
     Family Heptageniidae
          Heptagenia criddlei McDunnough
          Heptagenia simplicioides McDunnough
Heptagenia solitaria McDunnough
Heptagenia elegantula (Eaton) (= Rithrogena elegantula [sic!] of
Needham and Christenson, 1927:15)
          Stenonema sp. - an undescribed species (= Stenonema terminatum of Edmunds, 1951:162)
          Cinygmula tarda (McDunnough)
          Cinygmula mimus (Eaton) (= Rithrogena mimus [sic!] of Needham 1927:133, and Needham and Christenson, 1927:14, adult not
               nymph).
          Cinygmula ramaleyi (Dodds)
          Cinygmula par (Eaton)
```

¹The research on which this report is based was aided by a grant from the University of Utah research fund.

Family Ephemerellidae

_ Ephemerella inermis Eaton (in part, not figure 1, Needham, 1927: 114; in part, Needham and Christenson, 1927:9)

Ephemerella infrequens McDunnough (= Ephemerella inermis, in part, of Needham, 1927:114; and Needham and Christenson, 1927:9)

Ephemerella tibialis McDunnough (= Ephemerella angusta Traver, 1934:211, and 1935:581, new synonymy)

Ephemerella coloradensis Dodds Ephemerella grandis Eaton Ephemerella doddsi Needham

Ephemerella margarita Needham

Ephemerella hecuba Eaton

[Ephemerella spinifera of Needham 1927:110, apparently does not occur in Utah.1

Family Tricorythidae

/ Tricorythodes minutus Traver (= Tricorythus explicatus of Needham and Christenson 1927:12) Tricoruthodes spp. — at least two additional species

Superfamily Caenoidea

Family Caenidae

Caenis simulans McDunnough
Brachycerus sp. (probably prudens McDennough)

Superfamily Ephemeroidea

Family Ephemeridae

Ephemera simulans Walker Hexagenia limbata Serville Family Polymitarcidae ∠ Ephoron album Sav

Literature Cited

- Edmunds, G. F., Jr. Ovoviviparous mayflies of the genus Callibaetis. Ent. News 56:169-171, 1945.
- Edmunds, G. F., Jr. Western records of the mayfly genus Stenonema. Kans. Ent. Soc. Jour. 24:162. 1951.
- Knowlton, G. F., and F. C. Harmston. Ephemerida, in Insects of Utah. Utah Agr. Exp. Sta. Mimeo. series 200. 1939. p. 3.
- Needham, J. G. A baetine mayfly nymph with tusked mandibles. Canad. Ent. 59:44-47. 1927. 1 fig.
- Needham, J. G. The life history and habits of a mayfly from Utah. Canad. Ent. 59:133-136, 1927, 1 fig.
- Needham, J. G. Rocky Mountain species of the mayfly genus Ephemerella. Ent. Soc. Amer. Ann. 20:107-117. 1927. 2 fig.
- Needham, J. G., and R. O. Christenson. Economic insects in some streams of northern Utah. Utah Agr. Exp. Sta. Bul. 201. 1927. p. 1-36. 44 fig.
- Traver, J. R. New North American species of mayflies. Elisha Mitch. Sci. Soc. Jour. 50:189-254. 1934. 1 pl.
- Traver, J. R. Systematic, pt. 2 in Needham, Traver, and Hsu. The biology of mayflies. Ithaca, New York, Comstock Pub. Co., 1935. p. 237-739.

```
Cinugmula kootenai McDunnough
         Rhithrogena doddsi McDunnough (= Rithrogena mimus [sicl] of
              Needham, 1927:133 and Needham and Christenson, 1927:13.
              numph not adult).
         Rhithrogena morrisoni (Banks) (? = Rithrogena futillis [sicl] of
              Knowlton and Harmston, 1939:3)
         Rhithrogena futilis McDunnough
         Rhithrogena undulata (Banks)
         Rhithrogena robusta Dodds
         [Rhithrogena brunnea (Hagen), reported by Needham and Christen-
              son, 1927:13, probably does not occur in Utah.]
         Epeorus (Iron) longimanus (Eaton) (= Iron longimanus of
              Needham and Christenson, 1927:15)
         Epeorus (Iron) deceptivus (McDunnough)
         Epeorus (Iron) albertae (McDunnough) (= Epeorus sp. of Need-
              ham and Christenson, 1927:15)
         Anepeorus rusticus McDunnough
         Pseudiron sp. — An undescribed species.
    Family Ametropodidae
     / Ametropus albrighti Traver
    Family Baetidae
      Callibaetis nigritus Banks (= Callibaetis claudiae, nomen nudum, of
              Edmunds, 1945:169)
         Callibaetis fuscus Dodds
         Callibaetis montanus Eaton
         Callibaetis doddsi Traver
         [Callibaetis pallidus Banks, reported by Needham and Christenson.
              1927:11, probably does not occur in Utah.]
       , Baetis parvus Dodds
         Baetis quilleri Dodds
         Baetis tricaudatus Dodds
         Baetis intermedius Dodds
         Baetis bicaudatus Dodds
         Baetis dardanus McDunnough
         Baetis insignificans McDunnough
       Baetis spp. — Three undescribed species Centroptilum oreophilum Edmunds
         Centroptilum selanderorum Edmunds
         Centroptilum conturbatum McDunnough
         Centroptilum spp. — Some additional undetermined species present.
      / Pseudocloeon turbidum McDunnough
Superfamily Leptophlebioidea
    Family Leptophlebiidae
      / Paraleptophlebia heteronea (McDunnough) (= Leptophlebia pallipes of Needham and Christenson, 1927:10)
         Paraleptophlebia pallipes (Hagen)
         Paraleptophlebia debilis (Walker)
         Paraleptophlebia packii (Needham) (= Leptophlebia packii of
Needham, 1927:44, and Needham and Christenson, 1927:10)
     ✓ Leptophlebia (Blasturus) gravastellus McDunnough
      Choroterpes albiannulata McDunnough
       Traverella albertana (McDunnough) (= Thraulus albertanus of
             Traver, 1935:544, and Knowlton and Harmston, 1939:3)
```

4